



# CITEL

## MP80-240DCT



- Multi-TMOV Technology
- UL1449 Type 1 LISTED
- 88-220kA Surge Current Rating
- Visual fault indicator (LED per phase)
- Remote Alarm
- UL 1283 EMI Filter (Option available)
- 10-Year warranty



### Características eléctricas

|                |      |                                   |
|----------------|------|-----------------------------------|
| POWER SPD TYPE |      | UL1449 TYPE 1 LISTED              |
| TENSION        | (V)  | 120/240                           |
| AC/DC/DC PV/RF |      | AC                                |
| FASE           | (PH) | 3H                                |
| AMPS           | (A)  | N/A                               |
| AMBIENT MIN    | (C)  | -35                               |
| AMBIENT MAX    | (C)  | 85                                |
| MODOS          |      | L-L, L-N, L-G, N-G, H-L, H-N, H-G |
| VPR            | (V)  | 1000/700/700/700(3000/700/700)    |
| MCOV           | (V)  | 300/150/150/150(470/320/320)      |
| IN             | (kA) | 20                                |
| IMAX           | (kA) | 88                                |

### Características mecánicas

|                         |  |   |
|-------------------------|--|---|
| TECNOLOGIA              |  | Multi-TMOV  |
| CONFIGURACION DE RED    |  | 3PH, 4W+G, Hi-Leg Delta                           |
| FORMA DE CONEXION       |  | 36" #10 AWG LEADS                                 |
| MONTAJE                 |  | FLANGE MOUNT                                      |
| MATERIAL                |  | Polycarbonate                                     |
| NEMA RATING (IP RATING) |  | 4X (IP67)   |
| DESCONEXION SEGURA      |  | Yes, no upstream over current protection required |
| REAL-TIME DIAGNOSTICS   |  | LED. Optional remote contacts.                    |
| DIMENSIONS              |  | See diagram                                       |
| WEIGHT                  |  | 6 lbs   |

### Normas

|                         |  |                    |
|-------------------------|--|--------------------|
| UL STANDARD             |  | UL1449 5th Edition |
| UL CATEGORY             |  | VZCA, VZCA7        |
| UL FILE NUMBER          |  | E326289            |
| NORMAS                  |  | NOM-003-SCFI-2014  |
| ENVIRONMENTAL STANDARDS |  | ROHS               |

### Código

891855

